EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	747286	(terminal or device or client or mobile or cellular or wireless or portable or handheld or phone or telephone) near7 (network or LAN or WAN or intranet or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L2	518266	L1 near7 (connect\$4 or communicat\$4 or join\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L3	11288	L2 near10 (authentic\$4 or authoriz\$6 or authoris\$6 or validat\$4 or verif\$4 or endors\$4 or certif\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L4	3601492	tunnel or pathway or channel or route or routes or path or paths	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L5	715554	L4 near5 (creat\$4 or establish\$4 or make or making or makes or made or build\$4 or produc\$4 or generat\$4 or setup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L6	38541	L5 near20 (parameter or value or restriction or limitation or constraint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L7	3	L3 near30 L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
L8	3	L2 and L7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
 L9	57029	GTP or (general near4 tunnel) or gprs	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11
L10	3451	eap or eapol or ((extended or extensible) near4 (authenticat\$4 near2 protocol))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11

L11	560	L3 and L10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11
S1	1	"2002012433"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/05/27 14:57
S2	2	"20020012433"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/05/27 15:00
S3	1	"20040066769"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 11:38
S4	2483	diameter connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:35
S5	3	S4 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:35
S6	556	EAP and (qos or (quality near3 service))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:40
S7	56	S6 and GTP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:40
S8	60	DIAMETER and ((Quality near3 service) or QOS) and 3G and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:53
S9	10	S8 and GTP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:53
S10	14594289	@ad<"20031803" or @rlad<"20031803"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:56
S11	22	S8 and S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:56
S12	13778659	@ad<"20030318" or @rlad<"20030318"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:57

S13	14	S12 and S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:57
S14	2	"20020085516"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:04
S15	1	"20040066769" and diameter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:13
S16	92	(tight near2 coupling).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:17
S17	112	bichot.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:18
S18	5	S16 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:18
S19	1	"7450554".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:21
S20	696084	(terminal or device or client or mobile or cellular or wireless or portable or handheld or phone or telephone) near7 (network or LAN or WAN or intranet or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:26
S21	480929	S20 near7 (connect\$4 or communicat\$4 or join\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:27
S22	10386	\$21 near10 (authentic\$4 or authoriz\$6 or authoris\$6 or validat\$4 or verif\$4 or endors\$4 or certif\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28
S23	3459312	tunnel or pathway or channel or route or routes or path or paths	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28
S24	683804	S23 near5 (creat\$4 or establish\$4 or make or making or makes or made or build\$4 or produc\$4 or generat\$4 or setup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28

S25	36473	S24 near20 (parameter or value or restriction or limitation or constraint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:29
S26	3	S22 near30 S25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:30
S27	3	S21 and S26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:30
S28	52680	GTP or (general near4 tunnel) or gprs	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:31
S29	3066	eap or eapol or ((extended or extensible) near4 (authenticat\$4 near2 protocol))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S30	493	S22 and S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S31	493	S30 and S21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S32	1	"20070162600" and rule\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 09:30
S33	1	"20070162600" and (delivery near3 rule\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 09:31
S34	1	"20040066769" and tunnel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:36
S35	1	"20040066769" and tunnel \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:36
S36	1	"20040066769" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:43
S37	1	"20060179474" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:44

S38	0	"20040066769" and clos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:52
S39	16	(clos\$4 or end\$4 or (shut near3 off)) near5 authentication connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:53
S40	1	S39 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:54
S41	340111	(clos\$4 or end\$4 or (shut near3 off)) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S42	261	S41 AND eap	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S43	134	S41 and (EAP and tunnel\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S44	2	S41 same (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S45	1	S41 with (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S46	9	S41 same2 (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S47	365286	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S48	399	S47 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S49	6	S47 same (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S50	4	S49 not S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:02

S51	298	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 (authentication near4 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:10
S52	6	S51 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S53	5	S52 not S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S54	3	S53 not S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S55	573	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 (authentication near10 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S56	12	S55 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S57	6	S56 not S52	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S58	400277	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S59	680	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 (authentication near10 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S60	13	S59 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S61	1	S60 not (S56 or S52)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:30
S62	400277	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:30
S63	164	S62 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31

S64	6	S62 same(EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31
S65	13778659	@ad< "20030318" or @rlad< "20030318"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31
S66	43	S63 and S65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:32
S67	1	"7260061".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:38
S68	1	"7260061".pn. and dedicate \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:38
S69	0	"20040066769" and 3G	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S70	26	benefit\$4 near4 3G	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S71	30	3G same (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S72	13	3G same (EAP and tunnel and GPRS)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:51
S73	30	3G same (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:51
S74	0	"20040066769" and "802"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 15:47
S75	1	"20040066769"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 16:00
S76	1	"20060183980"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/20 11:03

4/9/2010 10:11:30 AM

C:\ Documents and Settings\ snguyen3\ My Documents\ EAST\ Workspaces\ 10549299.wsp